



भारत का राजपत्र

The Gazette of India

असाधारण

EXTRAORDINARY

भाग I—खण्ड 1

PART I—Section 1

प्राधिकार से प्रकाशित

PUBLISHED BY AUTHORITY

सं. 141] नई विल्सो, सोमवार, अगस्त 8, 1977/श्रावण 17, 1899

No. 141] NEW DELHI, MONDAY, AUGUST 8, 1977/SRAVANA 17, 1899

इस भाग में भिन्न पृष्ठ संलग्न नी जाती हैं जिससे कि यह अलग संकलन के रूप में रखा जा सके।

Separate paging is given to this Part in order that it may be filed
as a separate compilation

MINISTRY OF COMMERCE

PUBLIC NOTICE IMPORT TRADE CONTROL

New Delhi, the 8th August 1977

SUBJECT.—Import Policy for April 1977—March 1978—Amendments of

No. 59-ITC(PN)/77—Attention is invited to the import policy as contained in the Import Trade Control Policy (Volume I) for the period April 1977—March 1978.

2. The following amendments may be made at the appropriate places in the Import Trade Control Policy Book (Volume I) for the period April 1977—March 1978:

Page No. of the Policy Book (Vol. I)	Reference	Details of amendments			
			(1)	(2)	(3)
8	Section I, Para 55, last sentence, after existing sub-para (iii).	The following word may be deemed to have been inserted after the words "wire cloth" and before the word "etc."			"rayon spinning pots."

(1)	(2)	(3)
25 & 118	Section II, heading No. 09·01/10, column 2, sub-heading (4) and S. No. 26 in Appendix 2, column 2.	The description of this item may be deemed to have been amended as under “CASSIA/CINNAMON”
53	Section II, Heading No. 75·02 column 3, Remark (6).	The existing remark may be deemed to have been substituted by the following : “AU for import of electric resistance wire only thinner than 30 G in Ni-chrome and thinner than 40G and thicker than 20G and ferrous base.”
53 & 111	Section II, Heading No. 75 04/06, column 3 and Appendix 1, Part VI.	(1) The following additional remark (3) may be deemed to have been inserted “(3) Import of nickel oxide sinter is allowed under OGL. Please see Appendix 1 of this Book” (2) The following item may be deemed to have been inserted at S. No. (41) : “Nickel Oxide Sinter.”
84	Section III, Group ‘C’	The following item may be deemed to have been inserted at S. No. 39A : “39A Vitamin D-3”
107	Section V, Appendix 1, Part IV, Item No. 22.	This item may be deemed to have been deleted
108, 202 & 203	Section V, Appendix 1, Part IV, S. No. 108, Appendix 19, List I, S. No. 108 and List II.	The item “Kaolin light pharmaceutical grade” may be deemed to have been deleted from Part IV of Appendix 1 and List I of Appendix 19, and included at S. No. 63A in List II of Appendix 19.
109	Section V, Appendix 1, Part IV.	The following item may be deemed to have been inserted as an additional item at S. No. 219A.— “219A. In Thyroxine Sodium”
110	Section V, Appendix 1, Part V.	The following additional item may be deemed to have been inserted at S. No. 20A :— “20A Doxyrubicin Hydrochloride Injections”
119	Section V, Appendix 3, Item No. 23.	The description of this item may be deemed to have been revised as under : “Hydraulic High Precision internal grinding machine, rigid construction capacity above 100mm bore dia.”
189	Section V, Appendix 15, Item No. 57	The item may be deemed to have been deleted.
202	Section V, Appendix 19, Item No. 64	The description of this item may be deemed to have been amended as under : “Doxycycline Hydrochloride and its injections”
204	Section V, Appendix 19, List I, Item No. 210	This item may be deemed to have been deleted
206	Section V, Appendix 19, List III, Item No. 8.	The description of this item may be deemed to have been amended as under “Clonidine Hydrochloride”

(1)	(2)	(3)
255	Section V, Appendix 28, List VI, Part A, Item Nos. 7, 15 & 16.	The description of these items may be deemed to have been amended as under: "7. Chlorpyrifos (DURSBAN) 15. DD/Telone 16. DBCP/FUMAZONE
255	Section V, Appendix 28, List VI, Part A, Item No. 14.	This item may be deemed to have been deleted.
297	Section V, Appendix 38, Item No. 4, in the list of components allowed to actual users engaged in the manufacture of value type radio receivers, transistor radio receivers, including low priced radio receivers.	The following items appearing therein may be deemed to have been deleted : "1. Litz Wire 2. Micro-crystalline Wax"
298	Section V, Appendix 38, Item No. 6 in the list of components allowed to actual users engaged in the manufacture of mono-amplifiers including public address.	The item "Mu-metal laminations" appearing therein may be deemed to have been deleted
298	Section V, Appendix 38, Item No. 5, in list of components allowed for the manufacture of AM/FM radio receivers.	The item "Litz Wire" appearing therein may be deemed to have been deleted.
299	Section V, Appendix 38, item No. 6, list of components allowed to actual users engaged in the manufacture of stereo amplifiers.	The item "Led Lamps" may be deemed to have been deleted.
299	Section V, Appendix 38, Item No. 2, in the list of components allowed to actual users engaged in the manufacture of tape recorders/car cassette players.	The items "diaphragm" and "Mu-metal laminations" appearing therein may be deemed to have been deleted.
300	Section V, Appendix 38, Item Nos. 7 & 8, in list of components allowed to actual users engaged in the manufacture of car radios.	The item "Mu-metal laminations" appearing in item No. 7 & item 8 i.e., "Feed-through ceramic capacitors" may be deemed to have been deleted.
301	Section V, Appendix 38, item Nos. 1 & 2 in the list of components allowed for the manufacture of Micro-phones.	These items may be deemed to have been deleted
301	Section V, Appendix 38, item Nos. 3 & 4 in the list of components allowed for the manufacture of hearing aids.	(1) These items may be deemed to have been deleted. (2) The following new item may be deemed to have been inserted as item No. 6 — "6. U-U & U-I Ferrite cores for EHT transformer50%"
304	Section V, Appendix 28, Item No. 6 in the list of components allowed for the manufacture of TV tuners.	This item may be deemed to have been deleted.
305	Section V, Appendix 38, item No. 8 in the list of components allowed for the manufacture of DC Micro motors and Tape Deck mechanism.	The item "Beryllium copper strips" appearing therein may be deemed to have been deleted.

(1)

(2)

(3)

310 Section V, Appendix 39
 312

The following items allowed for the manufacture of various electric components as mentioned therein may be deemed to have been deleted:

1. Brass tubes thinner than 32 SWG dia ranging from 2mm to 13mm.
2. Beryllium copper strips.
3. Weather proof voice coil paper.
4. Opanol (Isobutylene Polymers).
5. Benzildine Acetone.
6. Polymeth Acrylic Resins.
7. Polycarbonate moulding powder.
8. Dapabs moulding powder.
9. Litz Wire.
10. Micro Crystalline Wax.
11. Plain aluminium foils strips 99.9 per cent and above purity.
12. Metallized or plain film polyester/poly carbonate polypropylene/Teflon/polyethylene.
13. Polyesterene film.
14. Condensor paper/condensor tissue paper.
15. Aluminium wire 99.9% and above purity.
16. Ethylene Glycol.
17. Pulp for manufacture of loud-speaker cones.

A. S. GILL,
 Chief Controller of Imports & Exports.

धारणिज्य मंत्रालय

सार्वजनिक सूचना

आयात व्यापार नियंत्रण

नई दिल्ली, 8 अगस्त, 1977

विषय : अप्रैल 1977—मार्च 1978 के लिए आयात नीति संशोधन।

सं० ५९—ओह०टी०सी०(पी०एन) '77—अप्रैल 1977—मार्च, 1978 अवधि के लिए आयात व्यापार नियंत्रण नीति पुस्तक (बा० १) में यथा निहित आयात नीति की ओर ध्यान धाकृष्ट किया जाता है।

2 निम्नलिखित संशोधन प्रवैल 1977—मार्च 1978 के लिए आयात व्यापार नियंत्रण नीति (वा० 1) में उपयुक्त स्थानों पर किए जाएँ :—

नीति

पुस्तक

(वा० 1)

की पृष्ठ

संख्या

संदर्भ

संशोधन के ब्यौरे

1

2

3

8 खंड-1, कंडिका 55 मेर वर्तमान उप- निम्नलिखित शब्द “वायर कपड़ा” शब्दों
कंडिका (3) के बाद अन्तिम वाक्य के बाद और “आदि” शब्द से पूर्व जोड़े
गए समझे जाएँ :—

“, रेयन स्पिनिंग पोद्स”

25 एवं खंड 2, शीर्षक सं० 09'0'10, कालम 2,
118 उपशीर्षक (4) एवं परिशिष्ट 2 में इस मद के विवरण को इस प्रकार पढ़ने
कालम 2 की ऋम सं० 26 के लिए संशोधित किया गया समझा
जाए :—

“केसिया/सिनामोन”

53 खंड-2, शीर्षक स० 75'02, कालम 3,
टिप्पणी (6) वर्तमान टिप्पणी को निम्नलिखित हारा
प्रतिस्थापित किया गया समझा जाए :—

“केवल नाइक्रोम मे 30 जी से
पतले और 40 जी से पतले
एवं 20 जी से भोटे विद्युत
प्रतिरोधी तार एवं फेरस
बेस के आयात के लिए
वास्तविक उपयोक्ता।”

53 एवं खंड-2 शीर्षक सं० 75'04'06, कालम 3 (1) निम्नलिखित अतिरिक्त टिप्पणी
111 एवं परिशिष्ट 1, भाग-6 (3) को जोड़ा गया समझा जाए :—

“(3) निकल आक्साइड सिन्टर
का आयात खुले सामान्य
लाइसेंस के अन्तर्गत अनुमेय
है। कृपया इस पुस्तक
का परिशिष्ट-1 देखें।”

		(2) निम्नलिखित मद को क्रम सं० (41) पर जोड़ा गया समझा जाए :— “निकल आक्साइड सिन्टर”
84	खंड-3, वर्ग 'ग'	निम्नलिखित मदें क्रम सं० 39 ए पर जोड़ी गई समझी जाए :— “39ए विटामिन डी-3”
107	खंड-5, परिशिष्ट-1, भाग-4, मद सं० 22	इस मद को हटाया गया समझा जाए ।
108,	खंड 5, परिशिष्ट-1, भाग-4, क्रम सं० 202	मद “केलिन लाइट फार्मेकोपोयल ग्रेड” को परिशिष्ट-1 के भाग 4 से और परिशिष्ट 19 की सूची 1 से हटाया गया और परिशिष्ट 19 की सूची 2 की क्रम सं० 63 ए में शामिल किया गया समझा जाए ।
205	108, परिशिष्ट 19, सूची 1, क्रम सं० 108 एवं सूची 2	
109	खंड-5, परिशिष्ट-1, भाग-4	निम्नलिखित मद को क्रम सं० 219 ए पर एक अतिरिक्त मद के रूप में जोड़ा गया समझा जाए :— “219 ए थाईरोक्साइन सोडियम”
110	खंड-5, परिशिष्ट-1, भाग-5	निम्नलिखित अतिरिक्त मद को क्रम सं० 20 ए पर जोड़ा गया समझा जाए :— “20ए डाक्सीरुबीसिन हाइड्रोक्लोराइड इन्जेक्शन”
119	खंड-5, परिशिष्ट-3 मद सं० 23	इस मद के विवरण को इस प्रकार परिशोधित किया गया समझा जाए :— “हाइड्रालिक हाई प्रिसाइजन इन्टर्नल मशीन, सख्त बनावट-कामता 100 एम एम बोर डाया से अधिक ।”
189	खंड-5, परिशिष्ट 15, मद सं० 57	इस मद को हटाया गया समझा जाए ।
202	खंड-5, परिशिष्ट 19, मद सं० 64	इस मद के वर्तमान विवरण को इस प्रकार संशोधित किया जाए :— “डाक्सीरुबीसिन हाइड्रोक्लोराइड और इसके इंजेक्शन ।”

1

2

3

204 खंड-5, परिशिष्ट-19 सूची-1, मद सं० 210 इस मद को हटाया गया समझा जाए ।

206 खंड-5, परिशिष्ट-19, सूची-3, मद स० 8 इस मद के विवरण को इस प्रकार संशोधित किया समझा जाए ।—
“क्लोनिडाइन हाइड्रोक्लोराइड ।”

255 खंड-5, परिशिष्ट-28, सूची-6, भाग-ए, मद सं० 7, 15 एवं 16 इन मदों के विवरण को इस प्रकार संशोधित किया गया समझा जाए :—
“7 क्लोरपिरिफोस (डर्मबन)
15 डी डी/टिलोन
16 डी बी सी पी, फेजोन”

255 खण्ड 5, परिशिष्ट 28, सूची 6, भाग ए, मद सं० 14 इस मद को हटाया गया समझा जाए ।

297 खण्ड 5, परिशिष्ट 38 बल्ब टाइप रेडियो रिसीवर्स, ट्रांजिस्टर रेडियो रिसीवर्स जिन मे कम मूल्य वाले रिसीवर्स शामिल हैं के विनिर्माण मे लगे हुए, वास्तविक उपयोक्ताओं के लिए अनुमेय संघटकों की सूची मे मद स० 4 इसमे दर्शाई गई निम्नलिखित मदों को हटाया गया समझा जाए :—
1. लिटस तार
2. माइको-क्रिस्टलाइन मोम”

298 खण्ड 5, परिशिष्ट 38, माइनो-प्रबर्धक जिसमे इसमे दर्शाई गई “न्यू मैटल लेमिनेशन” मद सावर्जनिक एड्रेस शामिल है के विनिर्माण मे लगे हुए वास्तविक उपयोक्ताओं के लिए अनुमेय संघटकों की सूची मे मद सं० 6 इसमे दर्शाई गई “न्यू मैटल लेमिनेशन” मद को हटाया गया समझा जाए ।

298 खण्ड 5, परिशिष्ट 38 ए.एम./एफ.एम रेडियो रिसीवर्स के विनिर्माण के लिए अनुमेय संघटकों की सूची मे मद सं० 5 इस मद मे दर्शाई गई मद—लिट्स वायर को हटाया गया समझा जाए ।

299 खंड 5, परिशिष्ट 38, टेप रिकार्डर्स कार केस्टेट्रट प्लेयर्स के विनिर्माण मे लगे हुए वास्तविक उपयोक्ताओं के लिए अनुमेय संघटकों की सूची मे मद स० 2 इसमे डायफेम और न्यू-मेटल लेमिनेशन मदों को हटाया गया समझा जाए ।

300 खण्ड 5, परिशिष्ट 38, कार रेडियो के विनिर्माण मे लगे हुए वास्तविक उपयोक्ताओं के लिए अनुमेय संघटकों की सूची मे मद स० 7 एवं 8 मद स० 7 एवं 8 अर्थात् “सिरेमिक केपिसीटर्स के माध्यम से खुराक” मे दर्शाई गई मद “न्यू-मेटल लेमिनेशन” को हटाया गया समझा जाए ।

301 खण्ड 5, परिशिष्ट 38 माल्कोफोन्स के विनिर्माण के लिए अनुमेय संघटकों की सूची में मदसं० 1 एवं 2

इन मदों को हटाया गया समझा जाए।

301 खण्ड 5, परिशिष्ट 38 श्रवण-भाष्य के विनिर्माण के लिए स्वीकृत संघटकों की सूची में मदसं० 3 एवं 4

इन मदों को हटाया गया समझा जाए।

302 खण्ड 5, परिशिष्ट 38, कडिका 24, मदसं० 1 (1) (ए), (बी) एवं (सी) एवं

(1) इन मदों को हटाया गया समझा जाए।
(2) निम्नलिखित नई मद को मदसं० 6 के रूप में जोड़ा गया समझा जाए :—

303

“6 यू-यू-एवं यू-1 ई एच टी ड्राइसफार्मसं
के लिए फिनाईट कोर्स
50 प्रतिशत”

304 खण्ड 5, परिशिष्ट 38, टी० बी० टनर्म के विनिर्माण के लिए स्वीकृत संघटकों की सूची में मदसं० 6

इस मद को हटाया गया समझा जाए।

305 खण्ड 5, परिशिष्ट 38, डी सी माइको मोर्टर्म एवं टेप हैक मैकेनिज्म के विनिर्माण के के लिए स्वीकृत संघटकों की सूची में मदसं० 8

इसमें दर्शाई गई मद “बेरिलियम ताम्बा स्ट्राईप्स” को हटाया गया समझा जाए।

310- खण्ड 5, परिशिष्ट 39

इसमें यथाउल्लिखित विभिन्न इलैक्ट्रानिक्स संघटकों के विनिर्माण के लिए स्वीकृत निम्नलिखित मदों को हटाया गया समझा जाए :—

312

1. 2 एम एम से 13 एम एम की रेंज बाली 32 एस डब्ल्यू जी डाया से पतली पीतल की ट्यूबें।
2. बेरिलियम ताम्बा स्ट्राईप्स।
3. वषरोक धवनि कायल कागज।
4. ओपेनल (आइसोब्यूटिलीन पोलिमर्स)
5. बेजिलेडीन एसिटोन
6. पालिमिथ एक्रिलिक रेजिन्स

7. पालिकाबोनेट मोल्डिंग चूर्ण
8. डापल्स मोल्डिंग चूर्ण
9. लिटस तार
10. माक्रोक्रिस्टेलीन मोम
11. 99.9 प्रतिशत और इसमें अधिक शुद्धता वाले साथे एल्यूमीनियम फायल स्ट्रिप्स
12. मेटेनाइड अथवा जेन फिल्म पालिएस्टर, पालिकाबोनेट, पालिप्रोपेलीन/टेस्पन पालिथिलीन
13. पालिएस्ट्रीन फिल्म
14. कन्डेन्सर कागज कन्डेन्सर टिशु कागज
15. 99.9 प्रतिशत और इसमें अधिक शुद्धता वाली एल्यूमीनियम तार
16. एथिलीन म्याइक्रोल
17. लाउडस्पीकर कोन्स के विनिर्माण के लिए लुम्बी

ए० ए० गिल,
मुख्य नियन्त्रक, भायात निर्माण।

महा प्रबन्धक, भारत सरकार मन्त्रालय, मिन्टो रोड, नई डिल्ली द्वारा
मुद्रित तथा नियंत्रक, प्रकाशन विभाग डिल्ली द्वारा प्रकाशित 1977

PRINTED BY THE GENERAL MANAGER GOVERNMENT OF INDIA PRESS MINTO ROAD,
NEW DELHI AND PUBLISHED BY THE CONTROLLER OF PUBLICATIONS DELHI 1977

